

Änderungshistorie / Change History

EC022L60 Borrelia + VlsE IgG Liquor/CSF Standards
EC022L80 Borrelia IgM Liquor/CSF Standards

Revision	Release Date	Änderungen / changes
CZ REV 31 DE REV 34 EN REV 34 ES REV 31 FR REV 32 HU REV 31 IT REV 31 LT REV 12 PL REV 31 PT REV 31 SK REV 13	17.02.2022	Deckblatt: Adresse geändert; Liquor Standards IgM Masern und VZV entfernt Front page: Address changed; CSF Standards IgM Measles and VZV deleted Reagenzien: VZV IgM Verdünnungspuffer entfernt Reagents: VZV IgM dilution buffer deleted
CZ REV 31 DE REV 35 EN REV 35 ES REV 31 FR REV 32 HU REV 31 IT REV 31 LT REV 12 PL REV 31 PT REV 31 SK REV 13	22.08.2023	Sprachen DE und EN: unter 8.2 bessere Erklärung zu OD-Unterschieden. Andere Sprachen werden im Zuge der IVDR angepasst. Languages DE and EN: under 8.2 better explanation on OD differences. Other languages will be adapted in the course of the IVDR.
CZ REV 32 DE REV 36 EN REV 36 ES REV 32 FR REV 33 HU REV 32 IT REV 32 LT REV 13 PL REV 32 PT REV 32 SK REV 14	18.09.2024	Deckblatt: Neue Adresse Name des Herstellers angepasst Art.-Nr. Entfernt IgA-Hinweise entfernt Front page: New Address Manufacturer name adapted Art.-No. Removed IgA references removed